(12)特許協力条約に基づいて公開された国際出願

(19) 世界知的所有権機関 国際事務局



(43) 国際公開日 2001 年8 月9 日 (09.08.2001)

PCT

(10) 国際公開番号 WO 01/57934 A1

(51) 国際特許分類?:

H01L 33/00

(21) 国際出願番号:

PCT/JP01/00595

(22) 国際出願日:

2001年1月30日(30.01.2001)

(25) 国際出願の言語:

日本語

(26) 国際公開の言語:

日本語

(30) 優先権データ:

特願2000-22207 2000年1月31日(31.01.2000)

(71) 出願人 (米国を除く全ての指定国について): 日本板 硝子株式会社 (NIPPON SHEET GLASS CO., LTD.) [JP/JP]; 〒541-0041 大阪府大阪市中央区北浜4丁目7

番28号 Osaka (JP).

(72) 発明者; および

(75) 発明者/出願人 (米国についてのみ): 大塚俊介 (OHTSUKA, Shunsuke) [JP/JP]. 楠田幸久 (KUSUDA, Yukihisa) [JP/JP]. 大野誠治 (OHNO, Seiji) [JP/JP]. 有馬 草久 (ARIMA, Takahisa) [JP/JP]. 斉藤英昭 (SAITOU, Hideaki) [JP/JP]. 黒田靖尚 (KURODA, Yasunao) [JP/JP]; 〒541-0041 大阪府大阪市中央区北浜4丁目7 番28号 日本板硝子株式会社内 Osaka (JP).

(74) 代理人: 弁理士 岩佐義幸(IWASA, Yoshiyuki); 〒 101-0031 東京都千代田区東神田2丁目10番17号 INビ ル Tokyo (JP).

(81) 指定国 (国内): CA, CN, KR, US.

(84) 指定国 (広域): ヨーロッパ特許 (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).


添付公開書類:

国際調査報告書

2文字コード及び他の略語については、 定期発行される 各PCTガゼットの巻頭に掲載されている「コードと略語 のガイダンスノート」を参照。

(54) Title: LIGHT-EMITTING THYRISTOR MATRIX ARRAY

(54) 発明の名称: 発光サイリスタ・マトリクスアレイ



(57) Abstract: A light-emitting thyristor matrix array where interconnections intersect each other without being connected electrically by dividing an array of three-terminal light-emitting thyristors the common cathode of which is the substrate into blocks of n (integer of 2 or more) light-emitting thyristors, connecting the gates of n light-emitting thyristors in each block, respectively, with n independent gate select lines, and connecting the anodes of n light-emitting thyristors in each block with a common electrode.

(57) 要約:

基板を共通のカソードとする3端子発光サイリスタのアレイを n個 (nは2以上の整数)の発光サイリスタ毎にブロック化し、各ブロック内のn個の発光サイリスタのゲートをそれぞれ独立なn本のゲート選択線と接続し、かつ各ブロック内のn個の発光サイリスタのアノードを共通の電極に接続している発光サイリスタ・マトリクスアレイにおいて、電気的に接続されずに配線を交差させる構造を提供する。

明細書

発光サイリスタ・マトリクスアレイ

技 術 分 野

本発明は、発光サイリスタ・マトリクスアレイ、特に配線が交差する部分で電気的に短絡しないようにした配線レイアウトを実現した発光サイリスタ・マトリクスアレイに関する。

背 景 技 術

光プリンタの書込みヘッドに用いられる発光素子アレイには、通常、発光ダイオード(LED)が用いられている。このようなLEDを用いた発光素子アレイでは、LEDの配列ピッチがワイヤボンディング法の限界ピッチにより決まり、500dpi(ビット/インチ)が限界であり、LEDを高密度に配置して、発光素子アレイの解像度を高めることができなかった。

このような問題を解決するため、本出願人は、pnpn構造の3端子発光サイリスタを用いた発光素子アレイを提案し、既に特許を得ている(特許第2807910号)。なお、この特許の内容は、この出願の内容に含まれるものとする。

この特許に係る技術によれば、基板を共通のカソードとする3端子発光サイリスタのアレイを、n個(nは2以上の整数)の発光サイリスタ毎にブロック化し、各ブロック内のn個の発光サイリスタのゲートをそれぞれ独立なn本のゲート選択線に別個に接続し、かつ各ブロック内のn個の発光サイリスタのアノードを共通の電極に接続している。このようにすることにより、発光のための信号を供給する電極の数を少なくすることができるので、発光素子の配列ビッチを小さくすることができる。

図1は、上記特許明細書に開示されている発光サイリスタ・マト リクスアレイの構造を示す図である。 n 型半導体基板 1 上に、 n 型 半導体層24, p型半導体層23, n型半導体層22 およびp型半導体層21よりなるpnpn構造の発光サイリスタT1, T2, T3…が形成されている。2個の発光サイリスタ毎にブロックにグループ化され、各ブロックの発光サイリスタのゲート電極(g1, g2), (g3, g4), …は、ゲート選択線G1, G2に交互に接続され、各ブロックの発光サイリスタのアノード電極(a1, a2), (a3, a4), …は、アノード端子A1, A2, A3…にそれぞれ接続されている。基板1の裏面には、カソード電極Kが設けられている。

図2は、図1の発光サイリスタ・マトリクスアレイの斜視図である。この図から、ゲート電極 g 2 , g 4 , …からの配線 L 2 , L 4 , …がゲート選択線 G 2 と交差することが理解されるであろう。

図 3 は、発光サイリスタ・マトリクスアレイの平面図であり、ボンディングパッド(BP)を発光サイリスタアレイの両側に配置した例である。図において、BP(A1),BP(A2),BP(A3),…は端子A1,A2,A3,…用のボンディングパッドであり、BP(G1),BP(G2)は、ゲート選択線G1,G2用のボンディングパッドを示す。B1,B2,B3…は、発光サイリスタを2個毎に分けたブロックを示している。

図4および図5は、ボンディングパッドを発光サイリスタアレイの片側に配置した例であり、図4はボンディングパッドをゲート選択線とは反対側に配置し、図5はボンディングパッドをゲート選択線側に配置した例である。

図3~図5で明らかなように、ボンディングパッドの配置にかかわらず、配線が交差する配線レイアウトが必ず生じることがわかる。 配線が交差する部分では、配線同士が電気的に接続されてはならない。

発明の開示

本発明の目的は、上述した従来の発光サイリスタ・マトリクスア

レイにおいて、電気的に接続されずに配線を交差させる構造を提供することにある。

本発明は、基板を共通のカソードまたはアノードとする3端子発 光サイリスタのアレイをn個(nは2以上の整数)の発光サイリス タ毎にブロックに分け、各ブロック内のn個の発光サイリスタのゲ ートをそれぞれ独立なn本のゲート選択線と接続し、かつ各ブロッ ク内のn個の発光サイリスタのアノードまたはカソードを共通の1 個の端子に接続している発光サイリスタ・マトリクスアレイである。

第1の態様によれば、電気的に短絡してはならない配線が交差する配線レイアウトが、2層配線構造により実現されている。

本発明の第2の態様によれば、電気的に短絡してはならない配線が交差する配線レイアウトが、前記発光サイリスタのゲート電極を クロスアンダー配線として実現されている。

本発明の第3の態様によれば、発光サイリスタの配列方向に平行に、かつ、発光サイリスタの片側にボンディングパッドが配列されており、前記ボンディングパッドへの接続が前記ゲート選択線と交差する配線レイアウトを、前記発光サイリスタと分離された島状の電極をクロスアンダー配線として実現されている。

本発明の第4の態様によれば、発光サイリスタの配列方向に平行に、かつ、発光サイリスタのアレイの片側にボンディングパッドが配列されており、前記ボンディングパッドへの配線が前記ゲート選択線と交差する配線レイアウトが、前記発光サイリスタの発光部の周囲に引き回されたゲート電極をクロスアンダー配線として実現されている。

本発明の第5の態様によれば、発光サイリスタの配列方向に平行に、かつ、発光サイリスタのアレイの片側にボンディングパッドが配列されており、前記ボンディングパッドへの配線が前記ゲート選択線と交差する配線レイアウトが、前記発光サイリスタの発光部の周囲に設けられ、下側のゲート層で電気的に接続されている2個の

ゲート電極部分をクロスアンダー配線として実現されている。

なお、以上の5つの各態様は、アノードまたはカソードを選択線に接続した発光サイリスタ・マトリクスアレイについても適用できる。

図面の簡単な説明

図 1 は、従来の発光サイリスタ・マトリクスアレイの構造を示す 図である。

図2は、図1の発光サイリスタ・マトリクスアレイの斜視図である。

図3は、発光サイリスタ・マトリクスアレイの平面図であり、ボンディングパッドを発光サイリスタ・マトリクスアレイの両側に配置した例を示す図である。

図4は、ボンディングパッドをゲート選択線とは反対側に配置した発光サイリスタ・マトリクスアレイを示す平面図である。

図 5 は、ボンディングパッドをゲート選択線側に配置した発光サイリスタを示す平面図である。

図6は、2層配線構造を示す図である。

図7は、電極をクロスアンダー配線として利用する構造を示す平 面図である。

図8は、分離された島上のゲート電極をクロスアンダー配線として利用する構造を示す平面図である。

図9は、図8のx-y線断面図である。

図 1 0 は、分離された島上のアノード電極をクロスアンダー配線 として利用する構造を示す断面図である。

図11は、発光サイリスタの発光部の周囲に引き回されたゲート電極をクロスアンダー配線として利用する構造を示す平面図である。

図12は、ゲート層を通じて電気的に接続された2つのゲート電極部分をクロスアンダー配線として利用する構造を示す平面図であ

る。

図 1 3 は、アノードを選択線に接続した発光サイリスタ・マトリクスアレイを示す平面図である。

発明を実施するための最良の形態

以下、本発明の発光サイリスタ・マトリクスアレイの実施例を図面を参照して説明する。

(実施例1)

図6に、電気的に短絡されずに配線を交差させるために2層配線構造を示す。この2層配線構造によれば、基板1上にSiO2よりなる下地絶縁膜2が設けられ、下地絶縁膜2上にAlよりなる第1層目配線3,第2層目配線5が形成される。第1層目配線3と第2層目配線5との間には、SiO2よりなる層間絶縁膜4が設けられ、第2層目配線5は、SiO2よりなる保護絶縁膜6で被覆される。

このような2層配線構造は、次のようにして作製される。まず、下地絶縁膜2を基板1の全面に形成する。次に、下地絶縁膜2上に、第1層目配線3を形成する。次に、層間絶縁膜4を構造全面に形成する。次に、層間絶縁膜4上に、第2層目配線5を形成する。最後に、構造全面に保護絶縁膜6を形成する。

なお、第1層目配線3を、2層配線構造を形成する以前に形成された電極および配線と電気的に接続させる必要のある部分には、あらかじめ下地絶縁膜2にコンタクトホールを形成し、また、第1層目配線3を第2層目配線5と電気的に接続させる必要のある部分には、層間絶縁膜4にコンタクトホールを形成する。

以上のような2層配線構造は、例えば図2に示すような発光サイリスタ・マトリクスアレイにおいて、配線L1,L2,L3,…を第1層目配線3とし、ゲート選択線G1,G2を第2層目配線5とした配線レイアウトに適用できる。

(実施例2)

本実施例では、交差配線レイアウトを実現させるために、単一の 発光サイリスタを作製する際に形成する電極をクロスアンダー配線 として利用する。図7に、本実施例の構造を表す平面図を示す。

電気的に接続させることなく配線を交差させるための構造として、発光サイリスタのゲート電極 g 1 , g 2 , g 3 , …を張り出して、張り出したゲート電極をクロスアンダーとして採用した。すなわち、ゲート電極をA 1 よりなるゲート選択線 G 1 , G 2 に対し垂直な方向に引き伸ばし、ゲート電極は、配線交差部でコンタクトホール 1 0 を介してゲート選択線に接続させる。ゲート電極をゲート選択線と接続する必要のない場合には、配線交差部にはコンタクトホールを作製しない。

このような構造を具備する発光サイリスタ・マトリクスアレイの作製は、次のようにして作製される。まず、半導体基板上にpnpn構造の半導体層を積層する。次に、アノード電極を、最上層のp型半導体層上に形成し、この最上層のp型半導体層の一部をエッチングしてゲート層を露出させ、露出したゲート層上にゲート電極を作製する。次に、エッチングを行って素子分離して、メサ構造にし、絶縁膜を成膜する。次に、絶縁膜にコンタクトホールを作製し、ゲート選択線をゲート電極上を通るように作製する。最後に、半導体基板の裏面にカソード電極を作製する。

上述したプロセスは、単一の発光サイリスタ作製プロセスと同一であり、発光サイリスタ・マトリクスアレイ特有の交差配線レイアウトを実現するための新たなプロセスを必要としない。

このように、クロスアンダー配線として、発光サイリスタのゲート電極を利用しているので、単一の発光サイリスタの作製プロセスと全く同一の作製プロセスで、交差配線レイアウトを具備する発光サイリスタ・マトリクスアレイが実現できる。

本実施例では、2層配線構造を採用する実施例1と比較して、作製プロセスが増加しないため、安価な発光サイリスタ・マトリクス

アレイを作製できる。また、 2 層配線構造のための配線形成領域を必要とする実施例 1 と比較して、マトリクスアレイに必要な面積が小さくなる。したがって、発光サイリスタ・マトリクスアレイ・チップのウェハ当たりの取得数が増加するため、製造コスト低減が実現できる。

(実施例3)

本実施例は、特に、図5で説明した、全てのボンディングパッドを発光サイリスタのアレイの片側に配置した発光サイリスタ・マトリクスアレイに適用される。このように全てのボンディングパッドを発光サイリスタアレイの片側に配置する理由は、発光サイリスタ・マトリクスアレイ・チップの占有面積を小さくし、チップ当たりの製造コストの低減化を実現するためである。

本実施例は、このような構造の発光サイリスタ・マトリクスアレイにおいて、ゲート選択線を配線によりボンディングパッドへ接続する場合に、単一の発光サイリスタ形成プロセスと同一プロセスで、電気的に短絡せずに配線を交差させる構造を実現するものである。

図8および図9は、本実施例の発光サイリスタ・マトリクスアレイを示す図である。なお、図8は平面図、図9は、図8のx-y線断面図である。

発光サイリスタT2とT3との間、および発光サイリスタT4とT5との間に、発光サイリスタから分離されたゲート島30をそれぞれ形成し、ゲート島30のゲート層上にゲート電極32を形成する。ゲート電極32は、ゲート選択線G1,G2と交差するように延長されており、絶縁層に設けられたコンタクトホール34を介して、ゲート選択線G1またはG2と電気的に接続される。ゲート電極32のボンディングパッド側の一端は、絶縁膜に設けられたコンタクトホール35を介してA1配線36に電気的に接続され、A1配線36はボンディングパッドBP(G1)またはBP(G2)に接続されている。このようにすることで、発光サイリスタと分離し

て形成されたゲート電極をクロスアンダー配線とした交差配線レイ アウトが実現できる。

以上のような構造の発光サイリスタ・マトリクスアレイは、次のようにして作製される。まず、n型半導体基板1上に、n型半導体層24,p型半導体層23,n型半導体層22およびp型半導体層21よりなるpnpn構造を積層する。次に、アノード電極a1,a2,a3,…を最上層のp型半導体層21上に作製し、最上層のp型半導体層21上に作製し、最上層のp型半導体層21でn型半導体層22(ゲート層)を露出させ、露出したゲート層22上にゲート電極32を作製する。次に、エッチングを行い、メサ構造の発光サイリスタT1,T2,T3,…およびゲート島30を分離し、全面に絶縁膜20を被膜する。次に、絶縁膜20にコンタクトホール34,35を作製し、ゲート選択線G1,G2,A1配線36,ボンディングパッドBPを作製する。最後に、基板1の裏面にカソード電極38を作製する。

このプロセスは、単一のサイリスタ作製プロセスと同一であり、 発光サイリスタマトリクスアレイ特有の交差配線レイアウトを実現 するための新たなプロセスを必要としない。

以上の構造では、ゲート島のゲート層上にゲート電極を形成したが、分離された島上にゲート電極が形成されていればよい。例えば最上層のアノード層上にゲート電極を形成することや、分離溝の底にゲート電極を形成することも可能である。

また、以上の構造では、ゲート電極をクロスアンダー配線として使用したが、アノード層上のアノード電極を使用することも可能である。この場合も、ゲート電極と同様に、分離された島上にアノード電極が形成されていればよい。

アノード層上に形成されたアノード電極をクロスアンダー配線と して利用する場合、配線下にサイリスタが寄生する。この寄生サイ リスタの発生を防止するために、図10に示したように、アノード

電極40とゲート電極42を、A1配線36で短絡させる構造とすることも可能である。

以上の構造では、クロスアンダー配線を、発光サイリスタT 2 とT 3 の間、およびT 4 とT 5 との間とに形成したが、任意のT(n)とT(n+1)の間に形成することが可能である。

また、以上の構造では、ボンディングパッドを発光サイリスタアレイに対してゲート選択線 G 1 および G 2 の反対側に配置したが、ゲート選択線 G 1 および G 2 側への配置は、ボンディングパッドへの配線を、クロスアンダー配線で、ゲート選択線 G 1 および G 2 の外側へ引き出すことで実現可能である。

本実施例によれば、全てのボンディングパッドを発光サイリスタアレイの片側に容易に配置することが可能となる。これにより発光サイリスタ・マトリクスアレイチップの占有面積を小さくすることができ、チップ当たりの製造コストの低減化が実現できる。全てのボンディングパッドを発光サイリスタアレイの片側に配置する際に発生する交差配線レイアウトを単一の発光サイリスタ形成プロセスと同一プロセスで実現できるため、2層配線構造を必要とする第1の実施例に比べて、製造コストが低減できる。

(実施例4)

実施例3と同様に、全てのボンディングパッドをアレイの片側に配置した発光サイリスタ・マトリクスアレイに適用される他の構造の実施例である。図11に、この構造の平面図を示す。この構造では、ゲート電極g1,g2,g3,…を、発光サイリスタの発光部44の周囲に引き回している。ゲート電極g1,g2,g3,…が、ゲート選択線G1またはG2に接続される構造は、第3の実施例と同じである。ゲート選択線G1,G2とボンディングパッドBP(G1),BP(G2)との接続は、ボンディングパッドを、発光部44を取り囲むゲート電極部分にコンタクトホール46を経て接続することで実現できる。すなわち、発光サイリスタT2のゲート

電極 g 2 をボンディングパッド B P (G 2) に接続し、発光サイリスタ T 5 のゲート電極 g 5 をボンディングパッド B P (G 1) に接続する。

以上の実施例では、発光部 4 4 を取り囲むゲート電極部分の形状は、一部が開いた形状であるか、発光部 4 4 を完全に取り囲む形状であってもよい。

(実施例5)

実施例3,4と同様に、全てのボンディングパッドを発光サイリスタアレイの片側に配置した発光サイリスタ・マトリクスアレイに適用されるさらに他の構造の実施例である。図12に、その平面図を示す。この構造では、発光サイリスタのゲート電極を、発光部44を挟んで、ボンディングパッド側の部分とゲート選択線G1およびG2側の部分とに分ける。これら2つのゲート電極部分は、下層のゲート層を通じて電気的に接続されている。

図12において、ゲート電極部分50はボンディングパッドBP (G1)にコンタクトホールを経て接続され、ゲート電極部分52はゲート選択線G1にコンタクトホールを経て接続されているので、ボンディングパッドBP (G1)はゲート選択線G1に電気的に接続される。同様にして、ボンディングパッドBP (G2)は、ゲート選択線G2に電気的に接続される。以上の構造により、G1およびG2用のボンディングパッドからの信号をゲート層を通してゲート選択線G1およびG2に伝えることができる。

この構造では、分離されたゲート島を設ける第3の実施例に比べて、高分解能発光サイリスタ・マトリクスアレイを容易に作製することが可能である。

(実施例6)

実施例1~5では、図2の発光サイリスタ・マトリクスアレイについて適用できる構造について説明したが、本発明は、アノードまたはカソードを選択線に接続した発光サイリスタ・マトリクスアレ

イについても適用できる。アノードを選択線に接続した発光サイリスタ・マトリクスアレイを、図13に示す。

発光サイリスタT1、T2、T3、…は、2個の発光サイリスタ毎にグループ化され、各グループの発光サイリスタのアノード電極(a1,a2),(a3,a4),…は、アノード選択線A1、A2に交互に接続され、各グループの発光サイリスタのゲート電極(g1,g2),(g3,g4),…は、ゲート端子G1、G2、G3…にそれぞれ接続されている。

なお、当業者には、図13の発光サイリスタ・マトリクスアレイには、前述した実施例1~4の構造を適用できることは明らかである。

産業上の利用可能性

本発明によれば、発光サイリスタをn個毎にブロック化し、各ブロック毎にゲート選択線を共通にし、かつ、各ブロック毎にアノードまたはカソードを共通の電極に接続したタイプの発光サイリスタ・マトリクスアレイにおいて、電気的に短絡することなく配線を交差させる構造を実現することができた。

請 求 の 範 囲

1. 基板を共通のカソードまたはアノードとする 3 端子発光サイリスタのアレイを n 個(n は 2 以上の整数)の発光サイリスタ毎にブロックに分け、各ブロック内の n 個の発光サイリスタのゲートをそれぞれ n 本のゲート選択線と接続し、かつ各ブロック内の n 個の発光サイリスタのアノードまたはカソードを共通の 1 個の端子に接続している発光サイリスタ・マトリクスアレイにおいて、

電気的に短絡してはならない配線が交差する配線レイアウトが、 2層配線構造により実現されていることを特徴とする発光サイリス タ・マトリクスアレイ。

2. 基板を共通のカソードまたはアノードとする3端子発光サイリスタのアレイをn個(nは2以上の整数)の発光サイリスタ毎にブロックに分け、各ブロック内のn個の発光サイリスタのアノードまたはカソードをそれぞれn本のアノード選択線またはカソード選択線と接続し、かつ各ブロック内のn個の発光サイリスタのゲートを共通の1個の端子に接続している発光サイリスタ・マトリクスアレイにおいて、

電気的に短絡してはならない配線が交差する配線レイアウトが、 2層配線構造により実現されていることを特徴とする発光サイリス タ・マトリクスアレイ。

3. 基板を共通のカソードまたはアノードとする3端子発光サイリスタのアレイを n個(nは2以上の整数)の発光サイリスタ毎にブロックに分け、各ブロック内のn個の発光サイリスタのゲートをそれぞれn本のゲート選択線と接続し、かつ各ブロック内のn個の発光サイリスタのアノードまたはカソードを共通の端子に接続している発光サイリスタ・マトリクスアレイにおいて、

電気的に短絡してはならない配線が交差する配線レイアウトが、

前記発光サイリスタのゲート電極をクロスアンダー配線として実現されていることを特徴とする発光サイリスタ・マトリクスアレイ。

4. 基板を共通のカソードまたはアノードとする3端子発光サイリスタのアレイを n個(nは2以上の整数)の発光サイリスタ毎にブロックに分け、各ブロック内のn個の発光サイリスタのアノードまたはカソードをそれぞれn本のアノード選択線またはカソード選択線と接続し、かつ各ブロック内のn個の発光サイリスタのゲートを共通の1個の端子に接続している発光サイリスタ・マトリクスアレイにおいて、

電気的に短絡してはならない配線が交差する配線レイアウトが、 前記発光サイリスタのアノード電極またはカソード電極をクロスア ンダー配線として実現されていることを特徴とする発光サイリス タ・マトリクスアレイ。

5. 基板を共通のカソードまたはアノードとする3端子発光サイリスタのアレイを n個(nは2以上の整数)の発光サイリスタ毎にブロックに分け、各ブロック内のn個の発光サイリスタのゲートをぞれぞれn本のゲート選択線と接続し、かつ各ブロック内のn個の発光サイリスタのアノードまたはカソードを共通の1個の端子に接続している発光サイリスタ・マトリクスアレイにおいて、

発光サイリスタの配列方向に平行に、かつ、発光サイリスタのア レイの片側にボンディングパッドが配列されており、

前記ボンディングパッドへの配線が前記ゲート選択線と交差する 配線レイアウトが、前記発光サイリスタと分離された島上の電極を クロスアンダー配線として実現されていることを特徴とする発光サ イリスタ・マトリクスアレイ。

6. 前記発光サイリスタと分離された島上の電極は、ゲート電極,

アノード電極, またはカソード電極であることを特徴とする請求項 5 記載の発光サイリスタ・マトリクスアレイ。

7. 前記クロスアンダー配線として、アノード電極またはカソード電極が用いられている場合には、前記アノード電極またはカソード電極が、同一島上のゲート電極と短絡されていることを特徴とする請求項6記載の発光サイリスタ・マトリクスアレイ。

8. 基板を共通のカソードまたはアノードとする3端子発光サイリスタのアレイを n個(nは2以上の整数)の発光サイリスタ毎にブロックに分け、各ブロック内の n個の発光サイリスタのゲートをそれぞれ n本のゲート選択線と接続し、かつ各ブロック内の n個の発光サイリスタのアノードまたはカソードを共通の1個の端子に接続している発光サイリスタ・マトリクスアレイにおいて、

発光サイリスタの配列方向に平行に、かつ、発光サイリスタのア レイの片側にボンディングパッドが配列されており、

前記ボンディングパッドへの配線が前記ゲート選択線と交差する 配線レイアウトが、前記発光サイリスタの発光部の周囲に引き回さ れたゲート電極をクロスアンダー配線として実現されていることを 特徴とする発光サイリスタ・マトリクスアレイ。

9. 基板を共通のカソードまたはアノードとする3端子発光サイリスタのアレイをn個(nは2以上の整数)の発光サイリスタ毎にブロックに分け、各ブロック内のn個の発光サイリスタのゲートをそれぞれn本のゲート選択線と接続し、かつ各ブロック内のn個の発光サイリスタのアノードまたはカソードを共通の1個の端子に接続している発光サイリスタ・マトリクスアレイにおいて、

発光サイリスタの配列方向に平行に、かつ、発光サイリスタのア レイの片側にボンディングパッドが配列されており、


前記ボンディングパッドへの配線が前記ゲート選択線と交差する 配線レイアウトが、前記発光サイリスタの発光部の周囲に設けられ、 下側のゲート層で電気的に接続されている2個のゲート電極部分を クロスアンダー配線として実現されていることを特徴とする発光サ イリスタ・マトリクスアレイ。

10. 基板を共通のカソードまたはアノードとする3端子発光サイリスタのアレイを n個(nは2以上の整数)の発光サイリスタ毎にブロックに分け、各ブロック内のn個の発光サイリスタのアノードまたはカソードをそれぞれn本のアノード選択線またはカソード選択線と接続し、かつ各ブロック内のn個の発光サイリスタのゲートを共通の1個の端子に接続している発光サイリスタ・マトリクスアレイにおいて、

発光サイリスタの配列方向に平行に、かつ、発光サイリスタのア レイの片側にボンディングパッドが配列されており、

前記ボンディングパッドへの配線が前記アノード選択線またはカソード選択線と交差する配線レイアウトが、前記発光サイリスタと分離された島上の電極をクロスアンダー配線として実現されていることを特徴とする発光サイリスタ・マトリクスアレイ。

- 11.前記発光サイリスタと分離された島上の電極は、ゲート電極、アノード電極、またはカソード電極であることを特徴とする請求項 10記載の発光サイリスタ・マトリクスアレイ。
- 12.前記クロスアンダー配線として、アノード電極またはカソード電極が用いられている場合には、前記アノード電極またはカソード電極が、同一島上のゲート電極と短絡されていることを特徴とする請求項11記載の発光サイリスタ・マトリクスアレイ。



2/13







図 2

3/13



4/13










図 6


7/13



8/13



9/13



WO 01/57934 PCT/JP01/00595

10/13




図10

WO 01/57934 PCT/JP01/00595

11/13




図11




図12

WO 01/57934 PCT/JP01/00595

13/13




図13

| T. D.CT | For receiving Office use only |
|---|--|
| PCT | |
| | International Application No. |
| REQUEST | |
| | International Filing Date |
| The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty. | Name of receiving Office and "PCT International Application" |
| | Applicant's or agent's file reference (if desired) (12 characters maximum) IWAP-0022 |
| Box No. 1 TITLE OF INVENTION | |
| LIGHT-EMITTING THYRISTOR MATRI | X ARRAY |
| Box No. II APPLICANT | |
| Name and address: (Family name followed by given name; for a designation. The address must include postal code and name of con address indicated in this Box is the applicant's State (that is, country of residence is indicated below.) | |
| Nippon Sheet Glass Co.,Ltd. | Telephone No. 03-5443-9514 |
| 7-28, Kitahama 4-chome, Chuo-l | Facsimile No. 03-5443-9567 |
| Osaka-shi, OSAKA 541-0041 JAPA | Teleprinter No. |
| State (that is, country) of nationality: JAPAN | State (that is, country) of residence: JAPAN |
| This person is applicant for the purposes of: all designated all designated the United States | d States except the United States the States indicated in tates of America only the Supplemental Box |
| Box No. III FURTHER APPLICANT(S) AND/OR (FURT | |
| Name and address: (Family name followed by given name; for a designation. The address must include postal code and name of cou address indicated in this Box is the applicant's State (that is, country of residence is indicated below.) | legal entity, full official intry. The country of the office of the offi |
| OHTSUKA Shunsuke | |
| c/o Nippon Sheet Glass Co.,Ltd | applicant and inventor |
| Kitahama 4-chome, Chuo-ku, Osa OSAKA 541-0041 JAPAN | inventor only (If this check-box is marked, do not fill in below.) |
| State (that is, country) of nationality: JAPAN | State (that is, country) of residence: JAPAN |
| | d States except the United States the States indicated in tates of America only the Supplemental Box |
| Further applicants and/or (further) inventors are indicated of | on a continuation sheet. |
| Box No. IV AGENT OR COMMON REPRESENTATIVE | ; OR ADDRESS FOR CORRESPONDENCE |
| The person identified below is hereby/has been appointed to act of the applicant(s) before the competent International Authorities | as: Common representative |
| Name and address: (Family name followed by given name; for a designation. The address must include postal co | ode and name of country.) |
| 8664 Patent Attorney IWASA Yo | oshiyuki 03-3861-9711 Facsimile No. |
| IN BLDG., 10-17, Higashikanda | 2-chome, 03 3061 0713 |
| Chiyoda-ku, TOKYO 101-0031 JAI | PAN Teleprinter No. |
| | |
| Address for correspondence: Mark this check-box where a space above is used instead to indicate a special address to v | no agent or common representative is/has been appointed and the which correspondence should be sent. |
| From PCT/RO/101 (first sheet) (July 1998; reprint July 2000) | See Notes to the request form |

1111 1 4

| | | \sim |
|-------|----|--------|
| Sheet | Nο | 2 |

| Continuation of Box No. III FURTHER APPLICANT(S) A | ND/OR (FURTHER) INVENTOR(S) | | | |
|---|--|--|--|--|
| If none of the following sub-boxes is used, th | is sheet should not be included in the request. | | | |
| Name and address: (Family name followed by given name; for a lidesignation. The address must include postal code and name of cour address indicated in this Box is the applicant's State (that is, country) of residence is indicated below.) KUSUDA Yukihisa c/o Nippon Sheet Glass Co., Ltd. Kitahama 4-chome, Chuo-ku, Osak OSAKA 541-0041 JAPAN State (that is, country) of nationality: | This person is: applicant only applicant and inventor | | | |
| JAPAN | JAPAN | | | |
| This person is applicant all designated for the purposes of: all designated the United States | States except the United States the States indicated in the Supplemental Box | | | |
| Name and address: (Family name followed by given name; for a ledesignation. The address must include postal code and name of coun address indicated in this Box is the applicant's State (that is, country) of residence is indicated below.) OHNO Seiji c/o Nippon Sheet Glass Co., Ltd. Kitahama 4-chome, Chuo-ku, Osak OSAKA 541-0041 JAPAN | applicant only applicant and inventor | | | |
| State (that is, country) of nationality: JAPAN | State (that is, country) of residence: JAPAN | | | |
| This person is applicant all designated for the purposes of States the United States | States except the United States the States indicated in the Supplemental Box | | | |
| Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) ARIMA Takahisa C/O Nippon Sheet Glass Co., Ltd., 7-28, Kitahama 4-chome, Chuo-ku, Osaka-shi, OSAKA 541-0041 JAPAN This person is: applicant only inventor only (If this check-box is marked, do not fill in below.) | | | | |
| State (that is, country) of nationality: | State (that is, country) of residence: | | | |
| JAPAN This person is applicant all designated all designated | JAPAN States except | | | |
| In its person is applicant for the purposes of: All designated States except for the purposes of: Ithe United States Ithe United States of America Ithe United States Ithe United States | | | | |
| State (that is, country) of nationality: JAPAN | State (that is, country) of residence: JAPAN | | | |
| This person is applicant all designated all designated for the purposes of: | States except the United States the States indicated in the Supplemental Box | | | |
| Further applicants and/or (further) inventors are indicated on another continuation sheet. | | | | |

Sheet No. ...3...

| Continuation of Box No. III FURTHER APPLICANT(S) A | ND/OR (FURTHER) INVENTOR(S) | | | | |
|--|---|--|--|--|--|
| If none of the following sub-boxes is used, th | is sheet should not be included in the request. | | | | |
| Name and address: (Family name followed by given name; for a lidesignation. The address must include postal code and name of coun address indicated in this Box is the applicant's State (that is, country, of residence is indicated below.) KURODA Yasunao c/o Nippon Sheet Glass Co., Ltd Kitahama 4-chome, Chuo-ku, Osal OSAKA 541-0041 JAPAN | applicant and inventor | | | | |
| State (that is, country) of nationality: JAPAN | State (that is, country) of residence: JAPAN | | | | |
| This person is applicant all designated for the purposes of: all designated the United States | States except the United States the States indicated in the Supplemental Box | | | | |
| Name and address: (Family name followed by given name; for a li designation. The address must include postal code and name of cour address indicated in this Box is the applicant's State (that is, country) of residence is indicated below.) | This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.) | | | | |
| State (that is, country) of nationality: | State (that is, country) of residence: | | | | |
| This person is applicant all designated for the purposes of: | States except the United States the States indicated in the Supplemental Box | | | | |
| Name and address: (Family name followed by given name; for a le designation. The address must include postal code and name of coun address indicated in this Box is the applicant's State (that is, country) of residence is indicated below.) | regal entity, full official try. The country of the of residence if no State This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.) | | | | |
| State (that is, country) of nationality: | State (that is, country) of residence: | | | | |
| This person is applicant all designated all designated for the purposes of: States the United Sta | States except the United States the States indicated in the sof America only the Supplemental Box | | | | |
| Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.) | | | | | |
| State (that is, country) of nationality: | State (that is, country) of residence: | | | | |
| This person is applicant all designated all designated for the purposes of: States the United States | States except | | | | |
| | Further applicants and/or (further) inventors are indicated on another continuation sheet. | | | | |

Sheet No. ...4..

| _ | | | | | | | | |
|---------------------|---------------|--|-------------------|-------|------|---|--|--|
| | No. | | | | | | | |
| The | follo | wing designations are hereby made under Rule 4.9(a) (mo | irk t | the c | арі | plicable check-boxes; at least one must be maked): | | |
| Reg | iona | Patent | | | | | | |
| | | | Leso | otho | . N | MW Malawi, MZ Mozambique, SD Sudan, SL Sierra Leone, | | |
| ш | A | SZ Swaziland TZ United Republic of Tanzania, UG Uga | nda. | ZV | v : | Zimbabwe, and any other State which is a Contracting State | | |
| | | of th Harare Protocol and of the PCT | , | , | | omoso we, and any outer bane which is a contacting bane | | |
| | | | | | | TV | | |
| | EA | Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Be | laru | ıs, F | (C | Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, | | |
| | | | , and | d an | ıy (| other State which is a Contracting State the Eurasian Patent | | |
| | | Convention and of the PCT | | | | | | |
| LX | EP | European Patent: AT Austria, BE Belguim, CH an | d L | I S | wi | tzerland and Liechtenstein, CY Cyprus, DE Germany, | | |
| _ | | | | | | gdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, | | |
| | | MC Monaco, NL Netherlands, PT Portugal, SE Sweden, a | ınd a | anv | οtÌ | her State which is a Contracting State of the European Patent | | |
| | | Convention and of the PCT | | | | 5 | | |
| | | | | ٠. | | | | |
| | OA | | | | | Republic, CG Congo, CI Côted'Ivoire, CM Cameroon, | | |
| | | GA Gabon, GN Guinea, GW Guinea-Bissau, ML Mali, I | MK | Ma | un | tania, NE Niger, SN Senegal, TD Chad, TG Togo, and any | | |
| | | | | | | ate of the PCT (if other of protection or treatment desired, | | |
| | | specity on dotted line) | | • • • | | • | | |
| NI_A | :1 | Patent (if other kind of protection or treatment desired, s | | :c | | datted line). | | |
| | | | | | | | | |
| | ΑE | United Arab Emirates | _ | | | Saint Lucia | | |
| | \mathbf{AG} | Antigua and Barbuda | | Lŀ | K | Sri Lanka | | |
| | \mathbf{AL} | Albania | П | LF | R | Liberia | | |
| | | Armenia | $\overline{\Box}$ | LS | 2 | Lesotho | | |
| | | | _ | | | Lithuania | | |
| _ | | Austria | | | | | | |
| | ΑU | Australia | _ | | | Luxembourg | | |
| | ΑZ | Azerbaijan | | LV | 7 | Latvia | | |
| | BA | Bosnia and Herzegovina | | M. | A | Morocco | | |
| | RR | Barbados | $\overline{\Box}$ | M | D | Republic of Moldova | | |
| | | Bulgaria | | | | Madagascar | | |
| _ | | • | | | | - | | |
| | | Brazil | | | | The former Yugoslav Republic of Macedonia | | |
| _ | | Belarus | _ | | | Mongolia | | |
| | BZ | Belize | | M | W | Malawi | | |
| Image: second color | CA | Canada | | M | X | Mexico | | |
| | CH | H and LI Switzerland and Liechtenstein | | | | | | |
| | | China | | | | Norway | | |
| | | Costa Rica | _ | | | New Zealand | | |
| _ | | | _ | | | | | |
| . — | | Cuba | _ | | | Poland | | |
| _ | | Czech Republic | | | | Portugal | | |
| | DE | Germany | | | | Romania | | |
| | DK | Denmark | | RU | U | Russian Federation | | |
| | DM | Dominica | | SD | • | Sudan | | |
| \Box | DZ | Algeria | \Box | SE | E | Sweden | | |
| | | Estonia | | | | Singapore | | |
| = | | Spain | | SI | | Slovenia | | |
| | | | _ | | | | | |
| | | Finland | _ | | | Slovakia | | |
| | GB | United Kingdom | Ш | SL | • | Sierra Leone | | |
| | GD | Grenada | | TJ | ſ | Tajikistan | | |
| | GE | Georgia | | TN | М | Trukmenistan | | |
| \sqcap | GH | Ghana | П | | | Turkey | | |
| ΙΞ | | Gambia | $\tilde{\Box}$ | | | Trinidad and Tobago | | |
| | | | _ | | | United Republic of Tanzania | | |
| ᅵ닏 | | Croatia | | | | | | |
| ᆝᆜ | | Hungary | | | | Ukraine | | |
| | ID | Indonesia | | | | Uganda | | |
| | IL | Israel | ◩ | US | S | United States of America | | |
| | IN | India | | U2 | Z | Uzbekistan | | |
| Ιō | IS | Iceland | $\overline{\Box}$ | V | N | Viet Nam | | |
| ۱ñ | JP | Japan | П | | | Yugoslavia | | |
| | | - | = | | | | | |
| | | Kenya | | | | South Africa | | |
| ᄓᆜ | | Kyrgyzstan | _ | | | Zimbabwe | | |
| | | Democratic People's Republic of Korea | Ch | ieck | c-b | ox reserved for designating States which have become | | |
| l ⊡ | KR | Republic of Korea | pa | rty | to | the PCT after issuance of this sheet: | | |
| | ΚZ | Kazakhstan | | | | | | |
| l | | | | | | | | |
| | | | | | | above, the applicant also makes under Rule 4.9(b) all other | | |
| | | | | | | on(s) indicated in the Supplemental Box as being excluded | | |
| | | | | | | onal designations are subject to confirmation and that any | | |
| | | | | | | priority date is to be regarded as withdrawn by the applicant | | |
| at 1 | ne ex | piration of that time limit. (Confirmation (including fees)m | ust r | eac | n t | ne receiving Office with in the 13-month time limit.) | | |

Sheet No.

| | | | | | _ |
|--|--------------------------|---|---|--|---|
| Box No. VI PRIORITY C | LAIM | | Further | priority claims are indicated in | the Supplemental Box. |
| Filing date | -6 | Number | | Where earlier application | is: |
| of earlier application (day/month/year) | ol ear | rlier application | national application | n: regional application:* in regional Office | ternational application: |
| item (1) | | | | | |
| 31.01.00 | 2000 | 22,207 | JAPAN | | |
| item (2) | | | | | |
| | ļ | | | | |
| item (3) | | | | | |
| The receiving Office is recoff the earlier application(purposes of the present in | s) (only i | f the earlier applic | cation was filed with | the Office which for the | (1) |
| Where the earlier application is Convention for the Protection of It | an ARIPO ndustrial P | application, it is mo roperty for which th | andatory to indicate in th at earlier application wa | e Supplemental Box at least one co s filed (Rule 4.10(b)(ii)). See Suppl | ountry party to the Paris lemental Box. |
| | | EARCHING AUT | | | |
| Choice of International Searc (if two or more International Se competent to carry out the interna- the Authority chosen; the two-letter | arching As ational se | uthorities are sear arch, indicate | quest to use results of the carried out to the (day/month/year) | fearlier search; reference to by or requested from the Internation Number Co | that search (if an earlier al Searching Authority): ountry (or regional Office) |
| ISA/JP | | | | | |
| Box No. VIII CHECK LIST | Γ; LANC | GUAGE OF FILI | NG | | |
| This international application of the following number of shee | contains ts: | | | panied by the item(s) marked | below: |
| request | 5 | 1 fee calcul | | | |
| description (excluding | 11 | | signed power of attorn | • | |
| sequence listing part) | 4 | = '' | · | ey; reference number, if any: | |
| statement explaining lack of signature | | | | | |
| abstract drawings | 13 | | | | |
| sequence listing part | . 5 | 1 | | ication into (language): | |
| of description | | | - | deposited microorganism or of | · · |
| Total number of sheets | 34 | 9. other (spe | | equence listing in computer read | lable form |
| Total number of sheets Figure of the drawings which | 1 | La | nguage of filing of th | | |
| should accompany the abstract | | | ernational application: | UAPANESE | |
| | | LICANT OR AG | | n signs (if such capacity is not obvious | from reading the request! |
| Next to each signature, male are me | ame oj trie p | erson signing and me | сарасну ін жнісні іне ретзо | n signs (ij such capacity is not oovious | from reading the request). |
| | | | | | |
| | IV | NASA Yos | hiyuki | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | For r | eceiving Office use or | nly - | |
| Date of actual receipt of th international application: | e purport | ed | - | • | 2. Drawings: |
| timely received papers or d | | | | | |
| Date of timely receipt of the corrections under PCT Art | ne require | ed): | | | not received: |
| 5. International Searching Au (if two or more are compet | | SA/ | | smittal of search copy delayed search fee is paid. | |
| | | For Inte | rnational Bureau use | only | |
| Date of receipt of the record of by the International Bureau: | сору | . == | | , | |

EP US

PCT

国際調査報告

(法8条、法施行規則第40、41条) [PCT18条、PCT規則43、44]

| 田願人又は代理人 の書類記号 IWAP-0022 | 今後の手続きについては、国際調査報告の送付通知様式(PCI/ISA/220) 及び下記5を参照すること。 | | | | | |
|--|--|---------------|---|--|--|--|
| 国際出願番号 PCT/JP01/00595 | 国際出願日 (日.月.年) 30. | 01.01 | 優先日 (日.月.年) 31.01.00 | | | |
| 出願人 (氏名又は名称) 日本板硝子 | 朱式会社 | | • | | | |
| · · · · · · · · · · · · · · · · · · · | | · | | | | |
| 国際調査機関が作成したこの国際調 この写しは国際事務局にも送付され | | l条 (PCT 1 8 s | 条)の規定に従い出願人に送付する。 | | | |
| この国際調査報告は、全部で | 3ページである。 | | . - . | | | |
| □ この調査報告に引用された先行 | 支術文献の写しも添付さ | れている。 | | | | |
| 1. 国際調査報告の基礎 a. 言語は、下記に示す場合を除 この国際調査機関に提出さ | | | | | | |
| b. この国際出願は、ヌクレオチ この国際出願に含まれる書 | | んでおり、次の配 | 配列表に基づき国際調査を行った。 | | | |
| □ この国際出願と共に提出さ | れたフレキシブルディ | スクによる配列表 | ŧ | | | |
| □ 出願後に、この国際調査機 | 関に提出された書面に | よる配列表 | • | | | |
| □ 出願後に、この国際調査機 | 関に提出されたフレキ | ・ シブルディスクに | よる配列表 | | | |
| | • | | 示の範囲を超える事項を含まない旨の陳述 | | | |
| □ 書面による配列表に記載し 書の提出があった。 | た配列とフレキシブル | ディスクによる配 | 2列表に記録した配列が同一である旨の陳述 | | | |
| 2. 請求の範囲の一部の調査 | ができない(第 I 欄参照 | () . | | | | |
| 3. 党明の単一性が欠如して | ハる(第Ⅱ欄参照)。 | | | | | |
| 4. 発明の名称は x 出 | 頭人が提出したものを弾 | 認する。 | | | | |
| | こ示すように国際調査機 | と関が作成した。 | | | | |
| - | | | · | | | |
| 5. 要約は 🗴 出 | 頭人が提出したものを産 | 認する。 | | | | |
| 国 | Ⅱ欄に示されているよう 祭調査機関が作成した。 国際調査機関に意見を抵 | 出願人は、この | 第47条 (PCT規則38.2(b)) の規定により 国際調査報告の発送の日から1カ月以内にこ きる。 | | | |
| 6. 要約書とともに公表される図は 第 <u>6</u> 図とする。 x 出 | | っる 。 | □ なし | | | |
| . 🗆 ш | 類人は図を示さなかった | -0 | | | | |
| 本 | 図は発明の特徴を一層よ | く表している。 | | | | |



発明の属する分野の分類(国際特許分類(IPC))

Int. Cl' H01L 33/00

調査を行った分野

調査を行った最小限資料(国際特許分類(IPC))

Int. Cl⁷

H01L 33/00

最小限資料以外の資料で調査を行った分野に含まれるもの

日本国実用新案公報

1940-1996年

日本国公開実用新案公報

1971-2001年

日本国登録実用新案公報

1994-2001年

日本国実用新案登録公報

1996-2001年

国際調査で使用した電子データベース (データベースの名称、調査に使用した用語)

| C. 関連する | ると認められる文献 というしょう こうしゅう こうしゅう こうしゅう こうしゅう こうしゅう こうしゅう こうしゅう こうしゅう しゅうしゅう しゅう | |
|---------|--|----------|
| 引用文献の | | 関連する |
| カテゴリー* | 引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示 | 請求の範囲の番号 |
| Y | JP, 3-194978, A(日本板硝子株式会社) 26.8月.1991(26.08.91) 全文,第1-8図(ファミリーなし) | 1-12 |
| Y | JP, 9-283794, A (日本板硝子株式会社) 31-10月. 1997 (31, 10. 97) 全文, 第1-16図 (ファミリーなし) | 1-12 |

|x| C欄の続きにも文献が列挙されている。

| | パテントファミリーに関する別紙を参照。

- * 引用文献のカテゴリー
- 「A」特に関連のある文献ではなく、一般的技術水準を示す もの
- 「E」国際出願日前の出願または特許であるが、国際出願日 以後に公表されたもの
- 「L」優先権主張に疑義を提起する文献又は他の文献の発行 日若しくは他の特別な理由を確立するために引用する 文献(理由を付す)
- 「〇」口頭による開示、使用、展示等に言及する文献
- 「P」国際出願日前で、かつ優先権の主張の基礎となる出願

の日の後に公表された文献

- 「T」国際出願日又は優先日後に公表された文献であって 出願と矛盾するものではなく、発明の原理又は理論 の理解のために引用するもの
- 「X」特に関連のある文献であって、当該文献のみで発明 の新規性又は進歩性がないと考えられるもの
- 「Y」特に関連のある文献であって、当該文献と他の1以 上の文献との、当業者にとって自明である組合せに よって進歩性がないと考えられるもの
- 「&」同一パテントファミリー文献

国際調査を完了した日

10.04.01

国際調査報告の発送日

17.04.01

国際調査機関の名称及びあて先

日本国特許庁(ISA/JP)

郵便番号100-8915

東京都千代田区霞が関三丁目4番3号

特許庁審査官(権限のある職員) 吉野 三寛

2 K 9010

電話番号 03-3581-1101 内線 3254

| | 国際調査報告 | 国際出願番号 PCT/JP0 | 1/00595 |
|-----------------|--|----------------|---------------|
| | 関連すると認められる文献 | | |
| 引用文献の カテゴリー* | 引用文献名 及び一部の箇所が関連するときに | は、その関連する箇所の表示 | 関連する 請求の範囲の番号 |
| Y | JP, 9-283792, A(日本板硝子 31.10月.1997(31,10. 全文,第1-9図(ファミリーなし) | | 1-12 |
| Y | JP, 9-216416, A (日本板硝子 19.8月.1997 (19,08.9 全文,第1-16図 (ファミリーなし) | | 1-12 |
| Y | JP, 5-259411, A (ソニー株式 8.10月.1993 (08.10.9 全文,第1-3図 (ファミリーなし) | | 1-12 |
| Y . | JP, 5-144949, A (シャープ株 11.6月.1993 (11.06.9 全文,第1-11図 (ファミリーなし) | | 1-12 |
| | | | . • |
| | | | |
| ,· | | | |
| | | | · . |
| | | | · |
| | | | |
| | | | |
| | | | |
| | | | |
| | | · | |

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP01/00595

| | | | | 101/00393 | |
|---------------------|--|--------------------------------------|--|---|--|
| | SIFICATION OF SUBJECT MATTER C1 ⁷ H01L 33/00 | | | | |
| 1110. | CI HUIL 33/00 | | | | |
| <u>.</u> | | | | | |
| | o International Patent Classification (IPC) or to both na | tional classification ar | nd IPC | | |
| | S SEARCHED ocumentation searched (classification system followed | Le -lessification symb | · ~1=X | | |
| Int. | Cl ⁷ H01L 33/00 | by classification symu | ols) | | |
| | | | | | |
| | | | | | |
| Documentari Jits | ion searched other than minimum documentation to the uyo Shinan Koho 1940-1996 | extent that such docu Toroku Jits | ments are included | in the fields searched Coho 1994-2001 | |
| | i Jitsuyo Shinan Koho 1971-2001 | | | Coho 1996-2001 | |
| Electronic da | ata base consulted during the international search (nam | e of data base and, wh | nere practicable, sea | urch terms used) | |
| | - | | | | |
| | | | | | |
| | | | | | |
| C. DOCUI | MENTS CONSIDERED TO BE RELEVANT | | | - · · · · · · · · · · · · · · · · · · · | |
| Category* | Citation of document, with indication, where ap | ppropriate, of the relev | ant passages | Relevant to claim No. | |
| Y | JP, 3-194978, A (Nippon Sheet G | lass Company, | Limited), | 1-12 | |
| [| 26 August, 1991 (26.08.91), Full text; Figs. 1 to 8 (Fami | 1 none) | | | |
| | Full text; rigs. I to o (ram. | Ty: none, | | | |
| Y | JP, 9-283794, A (Nippon Sheet G | lass Company, | Limited), | 1-12 | |
| 1 | 31 October, 1997 (31.10.97), Full text; Figs. 1 to 16 (Fam | dire none) | | | |
| | _ | - | | | |
| Y | JP, 9-283792, A (Nippon Sheet G | lass Company, | Limited), | 1-12 | |
| <u> </u> | 31 October, 1997 (31.10.97), Full text; Figs. 1 to 9 (Fami | lv: none) | | | |
| | | - | | | |
| Y | JP, 9-216416, A (Nippon Sheet G 19 August, 1997 (19.08.97), | lass Company, | Limited), | 1-12 | |
|] | Full text; Figs. 1 to 16 (Fam | ilv: none) | | | |
| | | _ | | _ | |
| Y | JP, 5-259411, A (Sony Corporati 08 October, 1993 (08.10.93), | lon), | | 1-12 | |
| | Full text; Figs. 1 to 3 (Fami | ly: none) | | | |
| Y | JP, 5-144949, A (Sharp Corporat | | | 1 10 | |
| | 11 June, 1993 (11.06.93), | 1101), | | 1-12 | |
| Further | r documents are listed in the continuation of Box C. | See patent fam | ilv anney | | |
| * Special | categories of cited documents: | | | ernational filing date or | |
| "A" docume | ent defining the general state of the art which is not | priority date and | l not in conflict with th | he application but cited to | |
| "E" earlier | red to be of particular relevance document but published on or after the international filing | "X" document of part | principle or theory und ticular relevance; the | claimed invention cannot be | |
| date "L" docume | ent which may throw doubts on priority claim(s) or which is | considered novel step when the do | el or cannot be conside ocument is taken alone | red to involve an inventive | |
| cited to | o establish the publication date of another citation or other reason (as specified) | "Y" document of part | ticular relevance; the | claimed invention cannot be | |
| | ent referring to an oral disclosure, use, exhibition or other | combined with o | one or more other such | p when the document is a documents, such | |
| "P" docume | ent published prior to the international filing date but later | "&" document memb | ng obvious to a person per of the same patent i | skilled in the art family | |
| | e priority date claimed | | | | |
| | actual completion of the international search April, 2001 (10.04.01) | Date of mailing of the 17 April | ne international sear , 2001 (17.0 | | |
| | - ' | - | , | , , | |
| | Name and mailing address of the ISA/ Authorized officer | | | | |
| | nese Patent Office | | | | |
| Facsimile N | o. | Telephone No. | | | |



International application No.

PCT/JP01/00595

| C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT | | | |
|---|--|-----------------------|--|
| Category* | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. | |
| | Full text; Figs. 1 to 11 (Family: none) | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| : | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| i | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| orm PCT/IS | SA/210 (continuation of second sheet) (July 1992) | <u> </u> | |

国際調査報告

国際出願番号 PCT/JP01/00595

| A. 発明の履 | 属する分野の分類(国際特許分類(IPC)) | | | | |
|---|--|--|--|--|--|
| Int. C | C1' H01L 33/00 | | | | |
| B. 調査を行 | 〒った分野 | | | | |
| | · 小限資料(国際特許分類(IPC)) | | | | |
| Int. (| C17 H01L 33/00 | | | | |
| 日本国実用新 日本国公開実 日本国登録実 | トの資料で調査を行った分野に含まれるもの 案公報 1940-1996年 用新案公報 1971-2001年 用新案公報 1994-2001年 案登録公報 1996-2001年 | | · | | |
| 国際調査で使用 | 目した電子データベース (データベースの名称、 | 調査に使用した用語) | | | |
| C. 関連する | | | | | |
| 引用文献の カテゴリー* | 引用文献名 及び一部の箇所が関連すると | ・きは、その関連する箇所の表示 | 関連する 請求の範囲の番号 | | |
| Y | JP, 3-194978, A (日本材 26.8月.1991 (26.08 全文,第1-8図 (ファミリーなし | 反硝子株式会社) 3. 91) | 1-12 | | |
| Y | JP, 9-283794, A (日本板 31. 10月. 1997 (31, 1 全文, 第1-16図 (ファミリーな | 10.97) | 1-12 | | |
| x C欄の続き | きにも文献が列挙されている。 | □ パテントファミリーに関する別 | 紙を参照。 | | |
| もの 「E」国際出版 以後にな 「L」優先権 日本献(E 文 で で で で で で で で で で で で で で で で で で で | のカテゴリー 車のある文献ではなく、一般的技術水準を示す 頭目前の出願または特許であるが、国際出願日 公表されたもの 主張に疑義を提起する文献又は他の文献の発行 くは他の特別な理由を確立するために引用する 理由を付す) よる開示、使用、展示等に言及する文献 頭目前で、かつ優先権の主張の基礎となる出願 | の日の後に公表された文献 「T」国際出願日又は優先日後に公表され版と矛盾するものではなく、例の理解のために引用するもの「X」特に関連のある文献であって、例の新規性又は進歩性がないと考え「Y」特に関連のある文献であって、例上の文献との、当業者にとって関よって進歩性がないと考えられる「&」同一パテントファミリー文献 | 送明の原理又は理論 当該文献のみで発明 さられるもの 当該文献と他の1以 自明である組合せに | | |
| 国際調査を完善 | 国際調査を完了した日 10.04.01 国際調査報告の発送日 17.04.01 | | | | |
| 日本 | の名称及びあて先 国特許庁(ISA/JP) 郵便番号100-8915 部千代田区霞が関三丁目4番3号 | 特許庁審査官(権限のある職員) 吉野 三寛 電話番号 03-3581-1101 | 2K 9010 | | |

| 引用文献を 及び一部の箇所が関連するときは、その関連する箇所の表示 | C(続き). | 関連すると認められる文献 | | |
|---|--------|--|---------------------|--|
| Y JP, 9-283792, A (日本板硝子株式会社) 31.10月.1997 (31, 10.97) 全文,第1-9図 (ファミリーなし) 1-12 Y JP, 9-216416, A (日本板硝子株式会社) 19.8月.1997 (19,08.97) 全文,第1-16図 (ファミリーなし) 1-12 Y JP, 5-259411, A (ソニー株式会社) 8.10月.1993 (08.10.93) 全文,第1-3図 (ファミリーなし) 1-12 Y JP, 5-144949, A (シャープ株式会社) 11.6月.1993 (11.06.93) 1-12 | | 引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示 | 関連する 請求の範囲の番号 | |
| 19.8月.1997 (19,08.97) 全文,第1-16図 (ファミリーなし) Y JP,5-259411,A (ソニー株式会社) 8.10月.1993 (08.10.93) 全文,第1-3図 (ファミリーなし) Y JP,5-144949,A (シャープ株式会社) 11.6月.1993 (11.06.93) | | JP, 9-283792, A (日本板硝子株式会社) 31.10月.1997 (31, 10.97) | | |
| 8. 10月. 1993 (08. 10. 93) 全文,第1-3図 (ファミリーなし) Y JP,5-144949,A (シャープ株式会社) 11. 6月. 1993 (11. 06. 93) | Y | 19.8月.1997 (19,08.97) | 1-12 | |
| 11.6月.1993 (11.06.93) | Y | 8. 10月. 1993 (08. 10. 93) | 1-12 | |
| | Y | 11.6月.1993 (11.06.93) | 1-12 | |
| | | | | |
| | | | | |
| | | · | | |
| | | | | |
| | | | | |
| | | | | |
| | | | ÷ | |